


### Ø5.8 mm | double objective 0° and 90°

The flexible probe DUAL-V offers a high resolution of 400.000 pixels. Illuminated by 4 white LEDs, it comes with 2 objectives. The first one offers forward vision (0°) and the second one side vision (90°). Direction of vision is controlled by a switched. It is available with a close focussing range (20-70mm) and a field of view of 67°

Probes are compatible with BIPOL P1 & Rugged videoscopes.

#### Product advantages

- ✓ Inspect small and narrow openings up to 30 meter length
- ✓ High resolution with LED illumination
- ✓ Switch to change from 1 objective to the other
- ✓ Reduced repair costs
- ✓ Available in stock



Technical Data	
Outer Diameter	5.8 mm
Working length	1,2,3,5,10,20 & 30 meters
Camera resolution	400.000 px
Field of view	67°
Focussing range	20-70 mm
Number of LEDs	4 (white)
Housing	PU flexible
Bending radius	90 mm
Protection Rate	IP67 - Water - Oils - Jet fuel
Operating temperature	-20°C to +70°C
Storage temperature	-20°C to +70°C

#### Ordering information

Part No	Description
P1-FDUAL-1	Dual-V Ø 5,8 mm x 1 M - 0/90° CF
P1-FDUAL-2	Dual-V Ø 5,8 mm x 2 M - 0/90° CF
P1-FDUAL-3	Dual-V Ø 5,8 mm x 3 M - 0/90° CF
P1-FDUAL-5	Dual-V Ø 5,8 mm x 5 M - 0/90° CF
P1-FDUAL-10	Dual-V Ø 5,8 mm x 10 M - 0/90° CF
P1-FDUAL-20	Dual-V Ø 5,8 mm x 20 M - 0/90° CF
P1-FDUAL-30	Dual-V Ø 5,8 mm x 30 M - 0/90° CF

### Compatible BIPOL videoscopes...



P1 Videoscope



Rugged Videoscope